

Time : 2 Hrs.

Marks : 40

Q.1 A) Solve Multiple choice questions.

4

- 1) Option b
- 2) Option a
- 3) Option d
- 4) Option c.

B) Solve the following questions.

4

1) $X^2 - 7x + 5 = 0$

Comparing with $ax^2 + bx + c = 0$ we get $a = 1, b = -7, c = 5$

2) $a = t^1 = -3$

$t^2 = t^1 + d = -3 + 0 = -3 \dots t^3 = t^2 + d = -3 + 0 = -3,$

$t^4 = t^3 + d = -3 + 0 = -3.$

 \therefore Arithmetic progression is $-3, -3, -3 \dots$

3) Here possibility are : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

 \therefore There are 11 cards bearing numbers 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

4) Rate of CGST is 6% and rate of SGST is 6%

Q.2 A) Complete the following activities. (Ant two)

4

- 1) If one root of the quadratic equation
- $5m^2 + 2m + k = 0$
- is
- $\frac{-7}{5}$
- then find the value of k by completing the following activity.

$\frac{-7}{5}$ is the root of equation $5m^2 + 2m + k = 0$

 $\therefore \frac{-7}{5}$ is satisfies the give equation.Substituting $= \frac{-7}{5}$ in given equation.

$\therefore 5 \times \left(\frac{-7}{5}\right)^2 + 2 \times \frac{-7}{5} + k = 0$

$\therefore \frac{49}{5} + \frac{-14}{5} + k = 0$

$\therefore 7 + k = 0$

$\therefore k = -7$

- 2) The maximum bowling speed (km/h) of 33 players at a cricket coaching center is given in the following table. Find the modal bowling speed of a player.

Bowling speed (km/h)	Number of players frequency
85 - 10	9
100 - 115	11
115 - 130	8
130 - 145	5

Here, $L = 100, f_m = 11, f_1 = 9, f_2 = 8, h = 15.$

$$\text{Mode} = L + \left[\frac{f_m - f_1}{2f_m - f_1 - f_2} \right] h \quad \dots\dots(\text{Formula})$$

$$= 100 + \left[\frac{11-9}{2(11)-9-8} \right] \times 15 \quad \dots\dots(\text{Substituting the value})$$

$$= 100 + \frac{2}{22-17} \times 15$$

$$= 100 + \frac{2}{5} \times 15$$

$$= 100 + 6 = 106$$

The modal bowling speed of a player is 106 km/h.

- 3) Two dice are rolled simultaneously. Find the probability that
- the sum of the numbers on their upper faces is at the most 5.
 - The sum of the numbers on their upper face is at the least 6.

i. $n(S) = 36$

$n(A) = 10$

$$\therefore P(A) = \frac{n(A)}{n(S)}$$

$$= \frac{10}{36}$$

$$= \frac{5}{18}$$

ii. $n(S) = 36$

$n(A) = 26$

$$P(A) = \frac{n(A)}{n(S)}$$

$$= \frac{26}{36}$$

$$= \frac{13}{18}$$

B) Solve the following question. (Any four)

1)

Class Daily No. of hours	Frequency (No. of workers) f_i	Cumulative frequency (less than)
8-10	150	150
10-12	500	600
12-14	300	950
14-16	50	1000
Total	$\Sigma f_i = 1000$	-

Here total frequency $\Sigma f_i = N = 1000$.

$$\therefore \frac{N}{2} = \frac{1000}{2} = 500$$

\therefore The median class is 10 – 12

$$\begin{aligned} \therefore \text{Median} &= L + \left[\frac{\frac{N}{2} - cf}{f} \right] h \\ &= 10 + \left(\frac{500 - 150}{500} \right) 2 \\ &= 11.4 \end{aligned}$$

\therefore Median no. of hours they work is 11.4 hours.

$$\begin{aligned} 2) \quad x + 7y &= 10 && \dots\dots\dots\text{I} \\ 3x - 2y &= 7 && \dots\dots\dots\text{II} \end{aligned}$$

Equation I can be written as

$$x = 10 - 7y \quad \dots\dots\dots\text{III}$$

Substituting the value of x in equation II

$$3x - 2y = 7$$

$$\therefore 3(10 - 7y) - 2y = 7$$

$$\therefore 30 - 21y - 2y = 7$$

$$\therefore 30 - 23y = 7$$

$$\therefore -23 = 7 - 30$$

$$\therefore -23y = -23$$

$$\therefore y = \frac{-23}{-23}$$

$$\therefore y = 1$$

\therefore Substituting $y = 1$ in equation III

$$x = 10 - 7y$$

$$\therefore x = 10 - 7 \times 1$$

$$\therefore x = 10 - 7$$

$$\therefore x = 3$$

$\therefore x = 3, y = 1$ is the solution of given simultaneous equations.

3) The sample space is the set of all days in a year

$$\therefore n(S) = 365$$

i. Let A be the event that both have different birthdays.

$$\therefore n(A) = 364 \quad (\because \text{Other friend can have birthday on any one of the remaining 364 days})$$

$$\therefore P(A) = \frac{n(A)}{n(S)} = \frac{364}{365}$$

ii. Let b be the event that both have the same birthday.

$$\therefore n(B) = 1 \quad (\because \text{the other friend can have birthday only on the same day})$$

$$\therefore P(B) = \frac{n(B)}{n(S)} = \frac{1}{365}$$

$$4) \quad \sqrt{5x^2} - x - \sqrt{5} = 0$$

$$\sqrt{5x^2} - x - \sqrt{5} =$$

Comparing with $ax^2 + bx + c = 0$ we get,

$$a = \sqrt{5}, b = -1, c = -\sqrt{5},$$

$$\Delta = b^2 - 4ac$$

$$= (-1)^2 - 4 \times \sqrt{5} \times -\sqrt{5}$$

$$= 1 + 20$$

$$\therefore \Delta = 21$$

5) Here $a = 14, d = 2, n = 100$

$$S_n = \frac{n}{2} [2a + (n-1)d]$$

$$\therefore S_{100} = \frac{100}{2} [2 \times 14 + (100-1) \times 2]$$

$$= 50 [28 + 198]$$

$$= 50 \times 226 = 11300$$

\therefore Sum of first 100 terms of given A.P. is 11,300

Q.3 A) Complete the following activity (Any two)

$$1) \quad \begin{array}{l} 5x + 3y = 9 \quad \dots\dots\dots\text{I} \\ 2x - 3y = 12 \quad \dots\dots\dots\text{II} \end{array}$$

Adding equation I and equation II

$$\begin{array}{r} 5x+3y=9 \\ + 2x-3y=12 \\ \hline 7x \quad =21 \end{array}$$

$$\therefore x = \frac{21}{7}$$

$$\therefore x = 3$$

Place $x = 3$ in equation I

$$5 \times 3 + 3y = 9$$

$$\therefore 3y = 9 - 15$$

$$\therefore 3y = -6$$

$$\therefore y = \frac{-6}{3}$$

$$\therefore y = -2$$

$(x,y) = (3,-2)$ is the solution of given simultaneous equations.

2) Form the quadratic equation from its roots.

3 and -10

Let α and β are the roots of the quadratic equation.

Let $\alpha = 3$ and $\beta = -10$

$$\therefore \alpha + \beta = 3 + (-10) = -7 \text{ and}$$

$$\alpha \times \beta = 3 \times -10 = -30$$

Then required quadratic equation is

$$\therefore x^2 - (\alpha + \beta)x + \alpha\beta = 0$$

$$\therefore x^2 - (-7)x - 30 = 0$$

$$\therefore x^2 + 7x - 30 = 0$$

B) Solve the following question. (Any two)

$$1) \quad \begin{array}{ll} \text{Market value of share} & = \text{Rs. } 50 \\ \text{Brokerage} & = 0.2\% \\ \therefore \text{Brokerage per share} & = 0.2\% \text{ of Rs. } 50 \\ & = \frac{0.2}{100} \times 50 \\ & = \text{Rs. } 0.10 \end{array}$$

$$\begin{array}{ll} \text{GST per share} & = 18\% \text{ of Rs. } 0.10 \\ & = \frac{18}{100} \times 0.10 \\ & = \text{Rs. } 0.018 \end{array}$$

$$\begin{array}{l} \text{Total purchase price} = \text{Market value} + \text{Brokerage} + \text{GST} \\ = 50 + 0.10 + 0.018 \\ = \text{Rs. } 50.118 \end{array}$$

$$\begin{array}{l} \therefore \text{Number shares purchased} = \frac{\text{Total investment}}{\text{Purchase price per share}} \\ = \frac{50118}{50.118} \\ = 1000 \end{array}$$

Mr. Sanghvi purchased 1000 shares.

2) $x^2 + 2\sqrt{3}x + 3 = 0$

Comparing with $ax^2 + bx + c = 0$ we get,

$\therefore a = 1, b = 2\sqrt{3}, c = 3$

$b^2 - 4ac = (2\sqrt{3})^2 - 4 \times 1 \times 3$
 $= 12 - 12$
 $= 0$

$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
 $= \frac{2\sqrt{3} \pm \sqrt{0}}{2 \times 1}$
 $= \frac{-2\sqrt{3} \pm 0}{2}$

$\therefore x = \frac{-2\sqrt{3} + 0}{2}$ or $x = \frac{-2\sqrt{3} - 0}{2}$

$\therefore x = \frac{-2\sqrt{3}}{2}$ or $x = \frac{-2\sqrt{3}}{2}$

$\therefore x = -\sqrt{3}$ or $x = -\sqrt{3}$

\therefore The roots of the given quadratic equations are $-\sqrt{3}$ and $-\sqrt{3}$

3) $S = \{10, 12, 13, 14, 15, 20, 21, 23, 24, 25, 30, 31, 32, 34, 35, 36, 40, 41, 42, 43, 45, 50, 51, 52, 53, 54\}$

$\therefore n(S) = 25$

A is the event that the number formed is even.

$A = \{10, 12, 14, 20, 24, 30, 32, 34, 40, 42, 50, 52, 54\}$

$\therefore n(A) = 13$

B is the event that the number formed is divisible by 3

$B = \{12, 15, 21, 24, 30, 42, 45, 51, 54\}$

$\therefore n(B) = 9$

C is the event that the number formed is greater than 50.

$C = \{51, 52, 53, 54\}$

$\therefore n(C) = 4$

4) Given A.P. 3, 8, 13, 18....

Here $t_1 = 3, t_2 = 8, t_3 = 13, t_4 = 18 \dots$

$d = t_2 - t_1 = 8 - 3 = 5$

We know that $t_n = a + (n-1)d$

$\therefore t_n = 3 + (n-1) \times 5$ because $a = 3, d = 5$

$\therefore t_n = 3 + 5n - 5$

$\therefore t_n = 5n - 2$

$\therefore 30^{\text{th}} \text{ term} = t_{30} = 5 \times 30 - 2$

$= 150 - 2 = 148$

Q.4 Solve the following questions. (Any two)

1) Let taps A and B take x and y days respectively to fill the swimming pool.

In one day tap A fills $\frac{1}{x}$ part of the swimming pool

In one day tap B fills $\frac{1}{y}$ part of the swimming pool

Both taps together fill the swimming pool in 15 days

\therefore Both taps together fill $\frac{1}{15}$ part of the swimming pool in 1 day.

$\therefore \frac{1}{x} + \frac{1}{y} = \frac{1}{15}$ (1)

Taps A and B are kept open for 12 days.

\therefore in 12 days these taps fill $\frac{12}{x} + \frac{12}{y}$ part of the swimming pool.

Now, tap B is closed and tap A takes another 8 days to fill the swimming pool.

$\therefore \frac{12}{x} + \frac{12}{y} + \frac{8}{x} = 1 \quad \therefore \frac{20}{x} + \frac{12}{y} = 1$ (2)

Substituting m for $\frac{1}{x}$ and n for $\frac{1}{y}$, we get,

$$m + n = \frac{1}{15} \quad \therefore 15m + 15n = 1 \quad \dots\dots\dots(3)$$

$$\text{and } 20m + 12n = 1 \quad \dots\dots\dots(4)$$

Multiplying equation (3) by 4 and equation (4) by 3

$$60m + 60n = 4 \quad \dots (5)$$

$$60m + 36n = 3 \quad \dots (6)$$

— — —

$$24n = 1$$
... [Subtracting equation (6) from equation (5)]

$$\therefore n = \frac{1}{24}$$

Substituting $n = \frac{1}{24}$ in equation (4)

$$30m + 12 \times \frac{1}{24} = 1 \quad \therefore 20m + \frac{1}{2} = 1 \quad \therefore 20m = \frac{1}{2}$$

$$\therefore m = \frac{1}{40}$$

Re-substituting the values of m and n, we get,


$$m = \frac{1}{x} = \frac{1}{40} = 1 \quad \therefore x = 40$$

$$\text{and } n = \frac{1}{y} = \frac{1}{24} \quad \therefore y = 24$$

Individually tap A and tap B requires 40 days and 24 days respectively to fill the swimming pool..

2)

Blood pressure (in suitable units)	105 - 110	110 - 115	115 - 120	120 - 125	125 - 130	130 - 135	135 - 140
Class mark	107.5	112.5	117.5	122.5	127.5	132.5	137.5
Number of patients	0	5	35	50	20	5	0



- 3) Amount invested by Mrs. Agarwal
 Market value per share
 Brokerage per share
 The number of shares received by Smt Mita

$$\begin{aligned}
 &= \text{Rs. } 10,200 \\
 &= \text{Rs. } 100 \\
 &= 0.1\% \text{ of Rs. } 100 \\
 &= \frac{\text{Investment}}{\text{MV of one share}} \\
 &= \frac{10,200}{100}
 \end{aligned}$$

$$= 102$$

Smt Mita received 102 shares

She paid 0.1% brokerage for buying 102 shares

$$\therefore \text{brokerage} = \frac{0.1}{100} \times 102 = \text{Rs } 10.20$$

Total amount by Smt Mita for purchasing shares = Rs (10200 + 10.20)

$$= \text{Rs } 10210.20 \quad \dots\dots\dots (1)$$

She sold 60 shares when MV was Rs 125

Amount received by Smt Mita by selling 60 shares

$$\begin{aligned} &= \text{Number of shares} \times \text{MV} \quad \dots\dots\dots(2) \\ &= 60 \times 125 \\ &= \text{Rs } 7500 \end{aligned}$$

Remaining shares = 102 – 60 = 42

42 shares are sold at MV Rs 90

Amount received by Smt Mita by selling 42 shares

$$\begin{aligned} &= 42 \times 90 \quad \dots\dots\dots(3) \\ &= \text{Rs } 3780 \end{aligned}$$

The total amount received by Smt Mita

$$\begin{aligned} &= \text{Rs } (7500 + 3780) \quad \dots[\text{From (2) \& (3)}] \\ &= \text{Rs } 11,280 \quad \dots\dots\dots(4) \end{aligned}$$

She paid brokerage 0.1% for each trading

$$= \text{Rs } 11280 \times \frac{0.1}{100} = \text{Rs}$$

Brokerage paid = amount \times percentage of brokerage

$$11.28 \quad \dots\dots\dots (5)$$

Actual amount received by Smt Mita

$$\begin{aligned} &= \text{amount by selling shares} - \text{brokerage} \\ &= \text{Rs } (11280 - 11.28) = \text{Rs } 11268.72 \quad \dots\dots\dots[\text{From (4) \& (5)}] \quad \dots\dots\dots(6) \end{aligned}$$

The actual amount received by Smt Mita is more than her investment.

Profit = the actual amount received – the amount invested


$$\begin{aligned} &= \text{Rs } (11268.72 - 10210.20) \quad \dots\dots\dots[\text{From (6) \& (1)}] \\ &= \text{Rs } 1058.52 \end{aligned}$$

Q.5 Solve the following questions. (Any one)

- 1) The expenditure for each component is converted into central angle

Component	Expenditure (in rs.)	Measure of the central angle
Raw material	800	$\frac{800}{1440} \times 360^\circ = 200^\circ$
Labour	300	$\frac{300}{1440} \times 360^\circ = 75^\circ$
Transportation	100	$\frac{100}{1440} \times 360^\circ = 25^\circ$
Packing	100	$\frac{100}{1440} \times 360^\circ = 25^\circ$
Taxes	140	$\frac{140}{1440} \times 360^\circ = 35^\circ$
Total	1440	360°

On the basis of the table, the pie diagram is drawn:



2) $2x + y = 19$

$2x - 3y = -3$

$D = \begin{vmatrix} 2 & 1 \\ 2 & -3 \end{vmatrix} = [2 \times (-3)] - [2 \times (1)] = -6 - 2 = -8$

$D_x = \begin{vmatrix} 19 & 1 \\ -3 & -3 \end{vmatrix} = [19 \times (-3)] - [(-3) \times (1)] = -57 - (-3) = -54$

$D_y = \begin{vmatrix} 2 & 19 \\ 2 & -3 \end{vmatrix} = [(2) \times (-3)] - [(19) \times (2)] = (-6) - 38 = -44$

By Cramer's Rule –

$x = \frac{D_x}{D}$

$y = \frac{D_y}{D}$

$\therefore x = \frac{-54}{-8} = 6.75$

$\therefore y = \frac{-44}{-8} = 5.5$

$\therefore (x, y) = (6.75, 5.5)$ is the solution of the given equations.